

BATTERIES

Graco sells top quality batteries to our customers.


Graco is proud to offer AGM batteries in addition to our Flooded line. Below are the features of each type, so no matter what the need, you'll find the right battery for you.

Flooded Battery:

- Most common lead-acid battery in use today with years of proven success.
 - Provides massive amounts of reserve power.
 - Great life expectancy with proper maintenance.
 - Lowest manufacturing cost.
 - Dependable against harsh conditions.
- Low tolerance for heat (for every 15° F above 80° F, they will lose half of their service life)
 - High self discharge rate
 - Must be installed upright
 - Not suitable for high vibration

Sealed Lead Acid (AGM) Battery:

- Increased surface area of the plate helps retard corrosion and extends the life of the grid.
 - The use of thicker grids gives more corrosion resistance.
- Plates are never subjected to destructive ultra-deep discharges due to their "acid-starved" nature.
- AGM batteries have the best balance between capacity utilization and recombination efficiency by containing separators at the ideal compression and saturation. These dual insulating separators also prevent separator misalignment as well shorting at the bottom and sides of the plates.
- Excels in high current, high power applications and in extremely cold environments.



Graco #	Type	V	AH Rating	RC @ 25A	RC @ 75A	Terminals	Size	Style
BT-1	Flooded	6	250	475	130	UT	11-5/8 L	
BT-1AGM	AGM	6	260	572	149	UT	7 W	250
							11-7/8 H	
BT-2	Flooded	6	330	620	170	UT	12-1/4 L	
BT-2AGM	AGM	6	312	736	208	UT	7 W	305
							14-3/8 H	
BT-3	Flooded	12	195	300	85	UT	15-1/2 L	
BT-3AGM	AGM	12	234	518	125	UT	7 W	185
							14-5/8 H	
BT-7	Flooded	6	220	383	105	LPT	10-1/4 L	
BT-7AGM	AGM	6	213	475	124	LPT	7-1/8 W	GC2
							10-7/8 H	(T605)
BT-12	Flooded	12	95	145	39	WNT	11-3/4 L	
BT-12AGM	AGM	12	100	197	52	WNT	6-3/4 W	27
							9-3/4 H	



Batteries - Cross Reference

AMERICAN-LINCOLN

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
201B	24	2	27
400B	24	2	185
721BP/726BP/730BP	24	4	250
730	24	4	250
930	36	6	305

CASTEX/NOBLES

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
BR 17/20	24	2	185
Concorde	36	3	185
Max Trac	24	2	27
SS-27	24	4	250
SS-33	24	4	250
S-261/262	36	6	GC2
S-201/2500XP/ 320 Elite	36	6	305
S-201/262/320 Elite	36	6	GC2
Servomatic	36	6	305
201	36	6	305, GC2
260XP	36	6	305, GC2

CLARKE

MODEL / MFG.	VOLT.	# BATT.	STYLE
BP-20	24	4	250
Encore L20, S20	24	2	27, 185
Encore L28, S28, L33, S33, L38, S38	36	6	250, 305
SPS-28	24	2	27
TB-18/TB-21	24	2	185
TB-24	36	6	250
TB-32A	36	6	305
TB-60/TB-80	36	3	185
TB-60/TB-80	36	6	250, 305
TB-60DS	36	6	250, 305
Vision 21I	24	6	250
Vision V	24	6	250
Vision 21I	24	2	185
Vision V	24	2	185
Vision 20B, 20BT	24	2	185
Vision 17B, 17BT	24	2	27
Vision 26I,26IX,32I,32IX	36	6	250
Vision 26I,26IX,32I,32IX	36	6	305
Vision 26I,26IX,32I,32IX	36	3	185

CLARKE

MODEL/MFG	VOLT.	#BATT.	STYLE
Vision 34	36	6	250, 305
Vision 38I	36	6	250, 305
202	36	3	185
242	36	6	250, 305
322	36	6	250, 305
2000B	24	2	185
2025	36	3	185
2400	36	3	185
2400D	36	6	250, 305
2400DS/2400UDS	36	6	250, 305
3200 Series II	36	3	185
3200D	36	6	250, 305

GRACO

MODEL / MFG.	VOLTAGE	# BATT	STYLE
Gamma 26	24	4	250, 305, GC2
GS2000B	36	3	185
Meteor	36	3	185
Saturn 21	24	2	27
Saturn 24	36	6	250, 305
Saturn 32	36	6	250, 305

HILDE

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
2001	36	3	185

HOOVER

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
Scrub Max	36	6	GC2

KENT

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
KA-20	24	4	GC2
KA26-261	36	6	GC2
KA-266	24	4	GC2
KA32-321	36	6	250
KA-325B	36	6	GC2
KF2001B	36	3	185



MINUTEMAN

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
KS-57	24	4	GC2
1000B	24	4	GC2
1000SB	24	4	GC2
1200B	24/48	4/8	GC2
2200/2600	36	3	GC2
SB100	36	6	GC2
SBR/50-60	24	4	GC2
SBR/70/85	36	6	GC2
1100	24	4	GC2
24-32	36	6	GC2

MULTICLEAN

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
24B/32B	36	6	GC2
747B	24	2	27
M-2200	36	3	185

NILFISK/ADVANCE

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
Roamer	24	4	GC2
134B	24	2	27
360B	24	4	GC2
B600	24	4	GC2
1000	24	4	GC2
2000	36	3	185
17B/20B	24	2	27
21B/26B/285,47,325,385LX	24	4	GC2
32B/38BD	36	6	GC2
260B/HB/BHD/285,325,385LX	24	4	GC2
Trac 240/280/320/380	36	6	GC2

NSS

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
2000BP	36	3	185
Wrangler 20B	24	2	185
Wrangler 27	36	3	185
Wrangler 33	36	6	250, GC2

PARKER

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
PV7201BP	24	4	GC2

PULLMAN-HOLT

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
GB2000	36	6	GC2
GB200	36	6	305

TENNANT

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
210E/426/432	36	6	GC2
5700	36	6	305

TORNADO

MODEL / MFG.	VOLTAGE	# BATT.	STYLE
9300/9400	36	3	185
9300 Midrange	36	3	185
9400 H Series	36	3	185
3500	24	2	185
2000B	36	3	185
9945, 9930	36	3	185
9945, 9930	36	6	305

Get more life from your current batteries - see our product spotlight on page 58



BATTERY CABLE - TYPE A

GRACO#	TYPE	COLOR
BC421B	21 inch - 4 Gauge	Black
BC421R	21 inch - 4 Gauge	Red
BC425B	25 inch - 4 Gauge	Black
BC425R	25 inch - 4 Gauge	Red
BC436B	36 inch - 4 Gauge	Black
BC436R	36 inch - 4 Gauge	Red
BC446R	46 inch - 4 Gauge	Red
BC446B	46 inch - 4 Gauge	Black



Type A

BATTERY CABLE - TYPE B

GRACO#	TYPE	COLOR
BCS610	10 inch - 6 Gauge	Red
BCS614	14 inch - 6 Gauge	Red
BCS618	18 inch - 6 Gauge	Red
BCS624	24 inch - 6 Gauge	Red



Type B

BATTERY CABLE - TYPE C

GRACO#	TYPE	COLOR
BCSN410	10 inch - 4 Gauge	Red
BCSN412	12 inch - 4 Gauge	Red
BCSN415	15 inch - 4 Gauge	Red
BCSN420	20 inch - 4 Gauge	Red



Type C

BATTERY TERMINALS

GRACO#	TYPE
BT-710	Universal
BT-715	Marine-universal
BT-E4	Battery Terminal Ring Eyelet 4 AWG 3/8"
BT-E6	Battery Terminal Ring Eyelet 6 AWG 3/8"



Marine Universal



BT-E4



Universal

BULK BATTERY CABLES

GRACO#	COLOR	TYPE
BCB-4R	Red	100 feet - 4 Gauge
BCB-4B	Black	100 feet - 4 Gauge
BCB-6R	Red	100 feet - 6 Gauge
BCB-6B	Black	100 feet - 6 Gauge






BATTERY ACCESSORIES

GRACO#	TYPE	SPECIFICATIONS
PRS1	Pulse Recovery System Power Base	Base + 5 add-on modules/recovers twelve 6 or 12 V batt at a time
12PT	Pulse Battery Maintenance System	12 V
24PT	Pulse Battery Maintenance System	24 V
36PT	Pulse Battery Maintenance System	36 V
BT-100	Hydrometer Glass	12" Glass 3 Color Scale: Empty, Half & Full Charge; Specific Gravity Readings From 1.100 to 1.300
BT-101	Hydrometer Plastic	Dial Indicator Reveals Battery Charge & Specific Gravity
BT-102	Battery Filler Bottle	2 Qt. With Automatic Shut Off Nozzle
BT-103	Terminal Lifter	Quality Forged Steel Construction
BT-104	Post Cleaner	All Metal Construction, 2 PC. Internal And External Brushes
BT-105	Battery Lifter Strap	21" Acid Resistant Vinyl Strap
BT-106	Top Post Terminal Protectors	Can of 100 With 3/4" Openings
BT-107	Marine or Golf Car Terminal Protectors	Can of 100 With 5/16" Openings
BT-108	Terminal Protection Spray	16 oz. Aerosol Can
BT-110	Light Bulb	12V
BT-111	Battery Load Tester	Milton 100 AMP 6/12 Volt Load Tester
BT-112	Crimping Tool	Charger Plug Terminal Crimping Tool. Crimps up to 4/0
BT-113	Terminal Cleaner Spray	16 oz Aerosol Can


Looking for charger plugs & accessories? See page 82





Power Pulse Recovery Systems

Helps batteries work harder and last longer by charging batteries deeper and maintaining greater reserve capacity



12PT, 24PT, 36PT

- For residential, commercial and industrial vehicles
- Specially designed for frequently charged batteries
- Ideal for vehicles that are used frequently or charged regularly
- Helps batteries charge deeper and maintain greater reserve capacity
- Helps prevent buildup - the main cause of battery failure